

Unplanned intensive care unit admission after general anaesthesia in children: a single centre retrospective analysis.

Mitchell J, Clety SC, Collard E, De Kock M, Detaille T, Houtekie L, Jadin L, Bairy L, Veyckemans F.

Anaesth Crit Care Pain Med. 2016 Jan 19. pii: S2352-5568(16)00003-5. doi: 10.1016/j.accpm.2015.10.005.

Dynamic view of postoperative pain and quality of life evolution after total knee arthroplasty - a prospective observational study.

Grosu I, Thienpont E, De Kock M, Scholtes JL, Lavand'homme P.
Minerva Anestesiol. 2015 Jul 16.

Biomarkers in immunonutrition programme, is there still a need for new ones? A brief review.

Forget P, Echeverria G, Giglioli S, Bertrand B, Nikis S, Lechat JP, De Kock M.
Ecancermedicalscience. 2015 Jun 18;9:546. doi: 10.3332/ecancer.2015.546. eCollection 2015. Review

Is urinary drainage necessary in patients with thoracic epidural analgesia? A prospective analysis.

Forget P, Veevaete L, Lois F, De Kock M, Remue C, Leonard D, Kartheuser A.
J Cardiothorac Vasc Anesth. 2015 Jun;29(3):e30-1. doi: 10.1053/j.jvca.2015.01.032. Epub 2015 Jan 23

Modulation of spinal glial reactivity by intrathecal PPF is not sufficient to inhibit mechanical allodynia induced by nerve crush.

Gallo A, Dimiziani A, Damblon J, Michot B, Rieux AD, De Kock M, Hermans E, Deumens R.
Neurosci Res. 2015 Feb 16. pii: S0168-0102(15)00038-3. doi: 10.1016/j.neures.2015.02.004. [Epub ahead of print]

Is the Neutrophil-to-Lymphocyte Ratio more correlated than C-reactive protein with postoperative complications after major abdominal surgery?

Forget P, Dinant V, De Kock M.
PeerJ. 2015 Jan 13;3:e713. doi: 10.7717/peerj.713. eCollection 2015.

The neutrophil-to-lymphocyte ratio (NLR) after surgery for hip fracture (HF).

Forget P, Moreau N, Engel H, Cornu O, Boland B, De Kock M, Yombi JC.
Arch Gerontol Geriatr. 2015 Mar-Apr;60(2):366-71. doi: 10.1016/j.archger.2014.11.008. Epub 2014 Nov 29.

Inflammatory scores are not interchangeable during the perioperative period of breast cancer surgery.

Forget P, Rengger N, Berliere M, De Kock M.
Int J Surg. 2014 Dec;12(12):1360-2. doi: 10.1016/j.ijsu.2014.11.008. Epub 2014 Nov 11.

Inflammation-based scores: a new method for patient-targeted strategies and improved perioperative outcome in cancer patients.

Bugada D, Allegri M, Lavand'homme P, De Kock M, Fanelli G.
Biomed Res Int. 2014;2014:142425. doi: 10.1155/2014/142425. Epub 2014 Apr 27. Review.

Cancer surgery induces inflammation, immunosuppression and neo-angiogenesis, but is it influenced by analgesics?

Forget P, Simonet O, De Kock M.
F1000Res. 2013 Apr 3;2:102. doi: 10.12688/f1000research.2-102.v1. eCollection 2013.

Perspectives in anaesthesia for cancer surgery.

Forget P, De Kock M.
J Cancer Res Clin Oncol. 2014 Mar;140(3):353-9. Epub 2013 Sep 28. Review.

Up-regulation of spinal microglial Iba-1 expression persists after resolution of neuropathic pain hypersensitivity.

Leinders M, Knaepen L, De Kock M, Sommer C, Hermans E, Deumens R.
Neurosci Lett. 2013 Oct 25;554:146-50. doi: 10.1016/j.neulet.2013.08.062. Epub 2013 Sep 8.

Reduction of breast cancer relapses with perioperative non-steroidal anti-inflammatory drugs: new findings and a review.

Retsky M, Demicheli R, Hrushesky WJ, Forget P, De Kock M, Gukas I, Rogers RA, Baum M, Sukhatme V, Vaidya JS.
Curr Med Chem. 2013;20(33):4163-76. Review.

Perioperative ketorolac in high risk breast cancer patients. Rationale, feasibility and methodology of a prospective randomized placebo-controlled trial.

Forget P, Berlière M, van Maanen A, Duhoux FP, Machiels JP, Coulie PG, Bouche G, De Kock M; Ketorolac in Breast Cancer trial (KBCtrial) group.
Med Hypotheses. 2013 Oct;81(4):707-12. doi: 10.1016/j.mehy.2013.07.033. Epub 2013 Aug 9.

Neutrophil:lymphocyte ratio and intraoperative use of ketorolac or diclofenac are prognostic factors in different cohorts of patients undergoing breast, lung, and kidney cancer surgery.

Forget P, Machiels JP, Coulie PG, Berlière M, Poncelet AJ, Tombal B, Stainier A, Legrand C, Canon JL, Kremer Y, De Kock M.
Ann Surg Oncol. 2013 Dec;20 Suppl 3:S650-60. doi: 10.1245/s10434-013-3136-x. Epub 2013 Jul 25.

Ketamine and peripheral inflammation.

De Kock M, Loix S, Lavand'homme P.
CNS Neurosci Ther. 2013 Jun;19(6):403-10. doi: 10.1111/cns.12104. Epub 2013 Apr 10. Review.

Prevention of chronic postoperative pain: cellular, molecular, and clinical insights for mechanism-based treatment approaches.

Deumens R, Steyaert A, Forget P, Schubert M, Lavand'homme P, Hermans E, De Kock M.
Prog Neurobiol. 2013 May;104:1-37. doi: 10.1016/j.pneurobio.2013.01.002. Epub 2013 Feb 11. Review.

Promising development from translational or perhaps anti-translational research in breast cancer.

Retsky M, Demicheli R, Hrushesky WJ, Forget P, De Kock M, Gukas I, Rogers RA, Baum M, Pachmann K, Vaidya JS.
Clin Transl Med. 2012 Aug 28;1(1):17. doi: 10.1186/2001-1326-1-17.

The concept of titration can be transposed to fluid management. but does is change the volumes? randomised trial on pleth variability index during fast-track colonic surgery.

Forget P, Lois F, Kartheuser A, Leonard D, Remue C, De Kock M.
Curr Clin Pharmacol. 2013 May;8(2):110-4.

Increased endogenous erythropoietin concentrations after cardiac surgery: another useful biomarker to be validated.

Momeni M, Watremez C, De Kock M, de Kerchove L, Glineur D, Baele P, Kahn D, Van Dyck M, Scholtes JL, Jacquet LM, Liistro G.
Med Hypotheses. 2012 Dec;79(6):897. doi: 10.1016/j.mehy.2012.08.028. Epub 2012 Sep 26. No abstract available.

The effect of clonidine, an alpha-2 adrenergic receptor agonist, on inflammatory response and postischemic endothelium function during early reperfusion in healthy volunteers.

Gourdin M, Dubois P, Mullier F, Chatelain B, Dogné JM, Marchandise B, Jamart J, De Kock M.
J Cardiovasc Pharmacol. 2012 Dec;60(6):553-60. doi: 10.1097/FJC.0b013e31827303fa.

Chronic postsurgical pain.

Steyaert A, De Kock M.

Curr Opin Anaesthesiol. 2012 Oct;25(5):584-8. doi: 10.1097/ACO.0b013e32835743b7. Review.

An increase in endogenous erythropoietin concentrations has no cardioprotective effects in patients undergoing coronary artery bypass graft surgery.

Momeni M, Liistro G, Baele P, Matta A, Kahn D, Van Dyck M, De Kock M, De Kerchove L, Glineur D, Thiry D, Gregoire A, Jacquet LM, Laarbui F, Watremez C.

J Cardiothorac Vasc Anesth. 2012 Apr;26(2):251-7. doi: 10.1053/j.jvca.2011.07.034. Epub 2011 Oct 5.

Do intraoperative analgesics influence oncological outcomes after radical prostatectomy for prostate cancer?

Forget P, Tombal B, Scholtès JL, Nzimbala J, Meulders C, Legrand C, Van Cangh P, Cosyns JP, De Kock M.

Eur J Anaesthesiol. 2011 Dec;28(12):830-5. doi: 10.1097/EJA.0b013e32834b7d9a.

New concepts in acute pain management: strategies to prevent chronic postsurgical pain, opioid-induced hyperalgesia, and outcome measures.

Grosu I, de Kock M.

Anesthesiol Clin. 2011 Jun;29(2):311-27. doi: 10.1016/j.anclin.2011.04.001. Epub 2011 May 5. Review.

Effect of N-acetyl-cysteine and hyperoxia on erythropoietin production.

Momeni M, De Kock M, Devuyst O, Liistro G.

Eur J Appl Physiol. 2011 Nov;111(11):2681-6. doi: 10.1007/s00421-011-1893-4. Epub 2011 Mar 11.

Endpoint selection and unreported analgesic use may render oncologic studies inconclusive.

Forget P, Leonard D, Kartheuser A, De Kock M.

Anesthesiology. 2011 Mar;114(3):717; author reply 718. doi: 10.1097/ALN.0b013e3182084b18. No abstract available.

Goal-directed fluid management based on the pulse oximeter-derived pleth variability index reduces lactate levels and improves fluid management.

Forget P, Lois F, de Kock M.

Anesth Analg. 2010 Oct;111(4):910-4. doi: 10.1213/ANE.0b013e3181eb624f. Epub 2010 Aug 12.

Prehypoxic clonidine administration improves vasomotricity of isolated rat aorta during reoxygenation.

Gourdin MJ, Ponchau O, Jamart J, De Kock M.

Eur J Anaesthesiol. 2010 Nov;27(11):965-72. doi: 10.1097/EJA.0b013e32833b001c.

Do intraoperative analgesics influence breast cancer recurrence after mastectomy? A retrospective analysis.

Forget P, Vandenhende J, Berliere M, Machiels JP, Nussbaum B, Legrand C, De Kock M.

Anesth Analg. 2010 Jun 1;110(6):1630-5. doi: 10.1213/ANE.0b013e3181d2ad07. Epub 2010 Apr 30.

Non-anesthesiologist administration of propofol?

Barvais L; SARB board members.

Acta Anaesthesiol Belg. 2010;61(4):181-2. No abstract available.

Expanding our horizons: transition of acute postoperative pain to persistent pain and establishment of chronic postsurgical pain services.

De Kock M.

Anesthesiology. 2009 Sep;111(3):461-3. doi: 10.1097/ALN.0b013e3181afde28. No abstract available.

Does analgesia and condition influence immunity after surgery? Effects of fentanyl, ketamine and clonidine on natural killer activity at different ages.

Forget P, Collet V, Lavand'homme P, De Kock M.
Eur J Anaesthesiol. 2010 Mar;27(3):233-40. doi: 10.1097/EJA.0b013e32832d540e.

The impact of ischaemia-reperfusion on the blood vessel.

Gourdin MJ, Bree B, De Kock M.
Eur J Anaesthesiol. 2009 Jul;26(7):537-47. doi: 10.1097/EJA.0b013e328324b7c2. Review.

An evaluation of the postoperative antihyperalgesic and analgesic effects of intrathecal clonidine administered during elective cesarean delivery.

Lavand'homme PM, Roelants F, Waterloos H, Collet V, De Kock MF.
Anesth Analg. 2008 Sep;107(3):948-55. doi: 10.1213/ane.0b013e31817f1595.

Something new about ketamine for pediatric anesthesia?

Lois F, De Kock M.
Curr Opin Anaesthesiol. 2008 Jun;21(3):340-4. doi: 10.1097/ACO.0b013e3282f82bde. Review.

Postoperative analgesic effects of continuous wound infiltration with diclofenac after elective cesarean delivery.

Lavand'homme PM, Roelants F, Waterloos H, De Kock MF.
Anesthesiology. 2007 Jun;106(6):1220-5.

The clinical role of NMDA receptor antagonists for the treatment of postoperative pain.

De Kock MF, Lavand'homme PM.
Best Pract Res Clin Anaesthesiol. 2007 Mar;21(1):85-98. Review.

Patient-controlled analgesia in the management of postoperative pain.

Momeni M, Crucitti M, De Kock M.
Drugs. 2006;66(18):2321-37. Review.

Intraoperative epidural analgesia combined with ketamine provides effective preventive analgesia in patients undergoing major digestive surgery.

Lavand'homme P, De Kock M, Waterloos H.
Anesthesiology. 2005 Oct;103(4):813-20.

The short-lasting analgesia and long-term antihyperalgesic effect of intrathecal clonidine in patients undergoing colonic surgery.

De Kock M, Lavand'homme P, Waterloos H.
Anesth Analg. 2005 Aug;101(2):566-72, table of contents.

Remifentanil in the intensive care unit: tolerance and acute withdrawal syndrome after prolonged sedation.

Delvaux B, Ryckwaert Y, Van Boven M, De Kock M, Capdevila X.
Anesthesiology. 2005 Jun;102(6):1281-2. No abstract available.

Can determining the minimum alveolar anesthetic concentration of volatile anesthetic be used as an objective tool to assess antinociception in animals?

Docquier MA, Lavand'homme P, Ledermann C, Collet V, De Kock M.
Anesth Analg. 2003 Oct;97(4):1033-9, table of contents.

Comparative effects of helium-oxygen and external positive end-expiratory pressure on respiratory mechanics, gas exchange, and ventilation-perfusion relationships in mechanically ventilated patients with chronic obstructive pulmonary disease.

Jolliet P, Watremez C, Roeseler J, Ngengiyumva JC, de Kock M, Clerbaux T, Tassaux D, Reynaert M, Detry B, Liistro G.
Intensive Care Med. 2003 Sep;29(9):1442-50. Epub 2003 Jul 8.

Cavocaval adult liver transplantation and retransplantation without venovenous bypass and without portacaval shunting: a prospective feasibility study in adult liver transplantation.

Lerut J, Ciccarelli O, Roggen F, Laterre PF, Danse E, Goffette P, Aunac S, Carlier M, De Kock M, Van Obbergh L, Veyckemans F, Guerrieri C, Reding R, Otte JB. Transplantation. 2003 May 27;75(10):1740-5.

Improving pain management.

De Kock M.

Middle East J Anaesthesiol. 2003 Feb;17(1):113-8. No abstract available.

An improved porcine model of stable methacholine-induced bronchospasm.

Watremez C, Roeseler J, De Kock M, Clerbaux T, Detry B, Veriter C, Reynaert M, Gianello P, Jolliet P, Liistro G. Intensive Care Med. 2003 Jan;29(1):119-25. Epub 2002 Nov 22.

Perineural alpha(2A)-adrenoceptor activation inhibits spinal cord neuroplasticity and tactile allodynia after nerve injury.

Lavand'homme PM, Ma W, De Kock M, Eisenach JC. Anesthesiology. 2002 Oct;97(4):972-80.

Spinal alpha(2)-adrenoceptors are involved in the MACbar-sparing effect of systemic clonidine in rats.

Docquier MA, Lavand'homme P, Collet V, De Kock M. Anesth Analg. 2002 Oct;95(4):935-9, table of contents.

The analgesic efficacy of bilateral combined superficial and deep cervical plexus block administered before thyroid surgery under general anesthesia.

Aunac S, Carlier M, Singelyn F, De Kock M. Anesth Analg. 2002 Sep;95(3):746-50, table of contents.

Editorial

Expanding our horizons: transition of acute postoperative pain to persistent pain and establishment of chronic postsurgical pain services. De Kock M. Anesthesiology. 2009 Sep;111(3):461-3.

THESES

DOCQUIER M.-A. Opioid-induced hyperalgesia : a pathological or physiological phenomenon ? Study development of an animal model of acute hyperalgesia to sufentanil under general anesthesia. Promoteur : DE KOCK M. Co-promoteurs : BAELE P., LAVAND'HOMME P. 2010.

WATREMEZ C. Helium ventilation in obstructive respiratory diseases. Evaluation of ventilation/perfusion relationships with the MIGET. From the animal model to the clinical application. Promoteur : DE KOCK M. Co-promoteur : LIISTRO G. 2010.

GOURDIN M. The effects of clonidine on the posthypoxic vasomotricity: from animal experimentations to the clinical trial. Promoteur : Pr M. DE KOCK. 2012.

MOMENI M. New insights into the production and the pleiotropic effects of erythropoietin. Promoteur : Pr G. Liistro. Co-Promoteur : Pr M. De Kock. 2012.